	Application No.	Application No. Applicant(s)		
Notice of Allowability	10/649,350	BOUSSE ET AL.	•	
	Examiner .	Art Unit		
	Nikita Wells	2881		
The MAILING DATE of this communication All claims being allowable, PROSECUTION ON THE MERIT herewith (or previously mailed), a Notice of Allowance (PTOI NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATEN of the Office or upon petition by the applicant. See 37 CFR	 S (OR REMAINS) CLOSED in the community of th	vith the correspondence addrein this application. If not include	ed	
1. This communication is responsive to Application filed	26 August 2003.	•		
2. The allowed claim(s) is/are <u>1-12</u> .			* ***	
3. The drawings filed on are accepted by the Exar				
 4. Acknowledgment is made of a claim for foreign priori a) All b) Some* c) None of the: 1. Certified copies of the priority documents 	have been received.			
2. Certified copies of the priority documents	have been received in Application	on No		
3. ☐ Copies of the certified copies of the priority	y documents have been receive	d in this national stage applicat	ion from the	
International Bureau (PCT Rule 17.2(a)).	a t	•		
* Certified copies not received:	% -			
Applicant has THREE MONTHS FROM THE "MAILING DA' noted below. Failure to timely comply will result in ABANDO THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be su INFORMAL PATENT APPLICATION (PTO. 152) which	Ibmitted Note the etterhal TV	AMINEDIO AMENDADA		
10-192) WINCH	gives reason(s) why the oath or	declaration is deficient.	7110E 01	
6. CORRECTED DRAWINGS (as "replacement sheets")	must be submitted.			
(a) ☐ including changes required by the Notice of Drafts	person's Patent Drawing Review	v (PTO-948) attached	•	
1) hereto or 2) to Paper No./Mail Date	·			
(b) ☐ including changes required by the attached Examir Paper No./Mail Date			•	
Identifying indicia such as the application number (see 37 CF each sheet. Replacement sheet(s) should be labeled as such	R 1.84(c)) should be written on th in the header according to 37 CFI	e drawings in the front (not the b	ack) of	
 DEPOSIT OF and/or INFORMATION about the de attached Examiner's comment regarding REQUIREMENT 	posit of RIOLOGICAL MATE	DIAL	ote the	
Attachm nt(s)	·			
1. Notice of References Cited (PTO-892)	5 ☐ Notice of Info	ormal Patent Application (PTO-	450)	
2. Notice of Draftperson's Patent Drawing Review (PTO-94)	8) 6. ☐ Interview Su	mmary (PTO-413),	152)	
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SI Paper No./Mail Date 051004	Paper No./N	Paper No./Mail Date 7.		
4. Examiner's Comment Regarding Requirement for Deposit	it 8. ⊠ Examiner's S	Statement of Reasons for Allow	2200	
of Biological Material	9. Other			
		Nikita Wells Primary Examiner Art Unit: 2881		

Application/Control Number: 10/649,350

Art Unit: 2881

Detailed Action

Allowable Subject Matter

- 1. Claims 1-12 are allowed.
- 2. The following is an examiner's statement of reasons for allowance:

With respect to the independent claims 1, 5, and 7, prior art fails to disclose or make obvious, in addition to the accompanying features of the claims, a microfluidic chip and method for mass spectrometric analysis comprising: a microfluidic body formed with a plurality of reservoirs for containing at least one fluid medium; a plurality of separated channels formed within the microfluidic body that are in fluid communication with a corresponding reservoir; and an electrospray ionization tip formed with an open-ended distal tip portion that is positioned along an end surface of the microfluidic body, wherein the plurality of separated channels converge at the open-ended distal tip portion to direct an ionization spray derived from the fluid mediums.

The dependent claims 2-4, 6, and 8-12, are allowable by virtue of their dependence upon the independent claims 1, 5, and 7, respectively.

Drawings

3. New corrected formal drawings are required in this application because the submitted drawings contain hand written labels, notation, an figure captions. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Application/Control Number: 10/649,350

Art Unit: 2881

Conclusion

Page 3

- 4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. A.T. Timperman (2003/0089605 A1) discloses a microfluidic system and method to analyze large numbers of compounds or complex mixtures of compounds using a plurality of sample holding channels which converge at an output channel. Moini et al. (6,465,776 B1) disclose a mass spectrometric apparatus for analyzing multiple fluid samples concurrently, having a plurality of separated channels converging, but fail to disclose that the convergence of these channels ends up at the open-ended distal tip portion of an ionization spray.
- 5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 6. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).
- 7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nikita Wells whose telephone number is (571) 272-2484. The examiner can normally be reached on 8:30 AM 5:00 PM. If attempts to reach the examiner by

Application/Control Number: 10/649,350

Art Unit: 2881

Page 4

telephone are unsuccessful, the examiner's supervisor, John R. Lee can be reached on (571) 272-2477. The central fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Nikita Wells, Primary Examiner

Art Unit 2881 May 10, 2004